

#4

Public Comment

Ramirez, Angelica

From: Steinfeld, Amy <ASteinfeld@bhfs.com>
Sent: Friday, December 10, 2021 12:43 PM
To: sbcob; Ramirez, Angelica
Subject: RE: Canna Rios Applicant Letter to the Board of Supervisors, Dec. 14 Hearing: Agenda Item 4 Case No. 21APL-00000-00027 for LUP19-00000-00116
Attachments: Exhibit G.pdf

Caution: This email originated from a source outside of the County of Santa Barbara. Do not click links or open attachments unless you verify the sender and know the content is safe.

Hi,

Sorry for the multiple emails. We just realized that Exhibit G was the wrong exhibit (here is the correct one). I believe this is already in the record, so it's ok if it doesn't make it in.

Thanks again!

Amy M. Steinfeld
 Brownstein Hyatt Farber Schreck, LLP
ASteinfeld@bhfs.com
[bio](#) | [vcard](#) | [bhfs](#)
 Subscribe to our Water blog at water.bhfs.com

Santa Barbara Office:
 1021 Anacapa Street, 2nd Floor
 Santa Barbara, California 93101-2706
 805.882.1409 tel
 805.335.0614 cell
 805.882.1482 Melissa Eldridge (Assistant)

From: Steinfeld, Amy
Sent: Friday, December 10, 2021 12:22 PM
To: 'sbcob@countyofsb.org' <sbcob@countyofsb.org>; 'aramirez@countyofsb.org' <aramirez@countyofsb.org>
Subject: RE: Canna Rios Applicant Letter to the Board of Supervisors, Dec. 14 Hearing: Agenda Item 4 Case No. 21APL-00000-00027 for LUP19-00000-00116

Dear Jacqueline and Angelica,

Can you please confirm you received our letter and were able to access Exhibits A through P-2 in the attached link. I just want to make sure there was not a technical glitch.

We will be sending over our Powerpoint by the end of the day.

Thank you so much for all your work!

Best regards,
Amy M. Steinfeld
 Brownstein Hyatt Farber Schreck, LLP
ASteinfeld@bhfs.com



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Central Coast Regional Water Quality Control Board

August 30, 2018

CANNABIS REGULATORY PROGRAM
3_42CC403017

Canna Rios, LLC
Brandon Gesicki
PO Box 22347
Carmel, CA 93922
Email: brandon@capitolcpr.com

Maldonado Companies LLC
4651 Santa Maria Mesa Road
Santa Maria, CA 93454
Email: electabel@aol.com

Si necesita ayuda en español llame al
(805) 549-3881
如果協助必要用中文, 請叫
(805) 542-4648

Via Electronic Mail Only

Dear Responsible Party:

NOTICE OF APPLICABILITY, WATER QUALITY ORDER WQ-2017-0023-DWQ, CANNA RIOS, LLC, SANTA BARBARA COUNTY

Site Name:	Canna Rios
Site Address:	4651 Santa Maria Mesa Road, Santa Maria, CA 93454
APN(s):	129-040-010

Canna Rios, LLC (hereafter "Discharger") submitted information through the State Water Resources Control Board's (State Water Board's) online portal on July 9, 2018, for discharges of waste associated with cannabis cultivation related activities. The Discharger self-certifies that the cannabis cultivation activities are consistent with the requirements of the State Water Board's *Cannabis Cultivation Policy- Principles and Guidelines for Cannabis Cultivation (Policy)* and the *General Waste Discharge Requirements and Waiver of Waste Discharge Requirements for Discharges of Waste Associated with Cannabis Cultivation Activities*, Order No. WQ-2017-0023-DWQ (General Order). This letter provides notice that the Policy and General Order are applicable to the site as described below. You are hereby assigned waste discharger identification (WDID) number 3_42CC403017.

The Discharger is responsible for all the applicable requirements in the Policy, General Order, and this Notice of Applicability (NOA).

DR. JEAN-PIERRE WOLFF, CHAIR | JOHN M. ROBERTSON, EXECUTIVE OFFICER

895 Aerovista Place, Suite 101, San Luis Obispo, CA 93401 | www.waterboards.ca.gov/centralcoast



1. FACILITY AND DISCHARGE DESCRIPTION

The information submitted by the Discharger states the disturbed area is equal to or greater than 1 acre (43,560 square feet), no portion of the disturbed area is within the setback requirements, no portion of the disturbed area is located on a slope greater than 30 percent, and the cannabis cultivation area is greater or equal to 1 acre.

Therefore, the cannabis cultivation activities are classified as Tier 2, low risk.

2. SITE-SPECIFIC REQUIREMENTS

The Policy and General Order are available on the Internet at <http://www.waterboards.ca.gov/cannabis>. The Discharger shall ensure that all site operating personnel know, understand, and comply with the requirements contained in the Policy, General Order, this NOA, and the Monitoring and Reporting Program (MRP, Attachment B of the General Order). Note that the General Order contains standard provisions, general requirements, and prohibitions that apply to all cannabis cultivation activities.

The application requires the Discharger to self-certify that all applicable best practicable treatment or control (BPTC) measures are being implemented, or will be implemented by the onset of the winter period (November 15 - April 1), following the enrollment date. Dischargers that cannot implement all applicable BPTC measures by the onset of the winter period following their enrollment date shall submit to the Central Coast Water Board a *Site Management Plan* that includes a time schedule and scope of work for use by the Central Coast Water Board in developing a compliance schedule as described in Attachment A of the General Order.

3. TECHNICAL REPORT REQUIREMENTS

The following technical reports shall be submitted by the Discharger as described below:

1. A *Site Management Plan*, by October 6, 2018, consistent with the requirements of General Order Provision C.1.a., and Attachment A, Section 5. Attachment D of the General Order provides guidance on the contents of the *Site Management Plan*.
2. A *Nitrogen Management Plan* must be submitted by October 6, 2018, consistent with the requirements of General Order Provision C.1.d., and Attachment A, Section 5. Attachment D of the General Order provides guidance on the contents of the *Nitrogen Management Plan*.
3. A *Site Closure Report* must be submitted 90 days prior to permanently ending cannabis cultivation activities and seeking to rescind coverage under the General Order. The *Site Closure Report* must be consistent with the requirements of General Order Provision C.1.e., and Attachment A, Section 5. Attachment D of the General Order provides guidance on the contents of the *Site Closure Report*.

Technical reports shall be submitted electronically to the Central Coast Regional Water Board office at the following email address: CentralCoast.Cannabis@waterboards.ca.gov and shall include "Cannabis General Order" in the email subject line and your WDID Number and the Cannabis General Order Application Number.

4. MONITORING AND REPORTING PROGRAM

The Discharger shall comply with the Monitoring and Reporting Program (MRP). Attachment B of the General Order provides guidance on the contents for the annual reporting requirement.

Annual reports shall be submitted to the Central Coast Water Board by March 1 following the year being monitored. The Discharger shall not implement any changes to this MRP unless and until a revised MRP is issued by the Central Coast Water Board's Executive Officer, the State Water Board Division of Water Quality Deputy Director, or the State Water Board Chief Deputy Director.

5. ANNUAL FEE

According to the information submitted, the discharge is classified as Tier 2, low risk with the current annual fee assessed at \$1000. The fee is due and payable on an annual basis until coverage under this General Order is formally terminated. You will receive an annual invoice. To terminate coverage, the Discharger must submit a Notice of Termination, including a *Site Closure Report* at least 90 days prior to termination of activities and include a final MRP report.

6. TERMINATION OF COVERAGE UNDER THE GENERAL ORDER & REGIONAL WATER BOARD CONTACT INFORMATION

Cannabis cultivators that propose to terminate coverage under the Conditional Waiver or General Order must submit a Notice of Termination (NOT). The NOT must include a *Site Closure Report* (see Technical Report Requirements above), and Dischargers enrolled under the General Order must also submit a final monitoring report. The Central Coast Water Board reserves the right to inspect the site before approving an NOT. Attachment C includes the NOT form and Attachment D of the General Order provides guidance on the contents of the *Site Closure Report*.

If the Discharger cannot comply with the General Order or will be unable to implement an applicable BPTC measure contained in Attachment A by the onset of the winter period each year, the Discharger shall notify the Central Coast Water Board staff contact by telephone at (805) 549-6194 so that a site-specific compliance schedule can be developed.

All monitoring reports, submittals, discharge notifications, and questions regarding compliance and enforcement should be directed to James Bishop at CentralCoast.Cannabis@waterboards.ca.gov or (805) 594-6194.

Sincerely,



Digitally signed by Harvey C. Packard
Date: 2018.08.30 08:14:40 -07'00'

for John M. Robertson
Executive Officer

ECM #: 848917
R:\RB3\Shared\Cannabis\Applications\Santa Barbara County\Canna Rios, LLC 403017\NOA_2L_Canna Rios, LLC_403017.pdf

cc: Kevin Porzio, State Water Resources Control Board, Sacramento
dwq.cannabis@waterboards.ca.gov

JRG Attorneys at Law, Trinh Retterer; trinh@jrgattorneys.com

Dennis Bozanich, County of Santa Barbara, Executive Branch,
dbozanich@countyofsb.org

James Bishop, Central Coast Regional Water Quality Control Board,
James.Bishop@waterboards.ca.gov

Arwen Wyatt-Mair, Central Coast Regional Water Quality Control Board,
Arwen.wyattmair@waterboards.ca.gov