



Fire Department

"Serving the community since 1926"

HEADQUARTERS

4410 Cathedral Oaks Road
Santa Barbara, CA 93110-1042
(805) 681-5500 FAX: (805) 681-5563

Eric L. Peterson
Fire Chief
County Fire Warden

Rob Heckman
Deputy Fire Chief

SENT BY CERTIFIED MAIL

Date: _____

Owner of Record Street Address and APN: _____

ORDER TO ABATE FIRE NUISANCE and NOTICE OF HEARING

Hearing Date: September 15, 2015

IN ACCORDANCE WITH SANTA BARBARA COUNTY CODE CHAPTER 15, ARTICLE 1, Sec. 15-3 (g), notice is hereby given that dry grass, dry leaves, weeds, stubble, brush, litter or other flammable material are present upon the subject property described in this Order and creates, in the opinion of the Santa Barbara County Fire Chief, a fire nuisance. You are ordered to abate this fire nuisance.

On September 15, 2015, at 9am, the Board of Supervisors of the County of Santa Barbara will meet in the Board Hearing Room, located at 105 East Anapamu St., Santa Barbara to hear the report of the Fire Chief regarding this alleged nuisance. The Board of Supervisors may continue the hearing as it sees fit. Any person may attend such meeting and his or her objection, if any, to such report, will be heard and given due consideration.

WARNING! If at such hearing, the Board finds that a fire nuisance does exist upon the subject property, it may direct the Fire Chief or his agent to remove or abate such nuisance. **THE COST FOR SUCH REMOVAL AND AN ADMINISTRATIVE FEE WILL BE COLLECTED AS A SPECIAL ASSESSMENT BY ADDING IT ONTO THE PROPERTY TAXES ASSESSED AGAINST THE SUBJECT PROPERTY.**

ANY OWNER INTENDING TO ABATE THIS NUISANCE AT HIS/HER OWN EXPENSE SHOULD DO SO, IN ACCORDANCE WITH THE CLEARING REQUIREMENTS SET FORTH BELOW, ON OR BEFORE THE DATE OF THE AFORESAID HEARING.

PLEASE DISREGARD THIS ORDER IF YOUR PROPERTY HAS ALREADY BEEN CLEARED. THANK YOU FOR YOUR COOPERATION.

REQUIREMENTS FOR CLEARING PROPERTY

1. Maintain a 100 foot defensible space area surrounding structures. (Public Resources Code 4291, Santa Barbara County Code Chapter 15, Article 1)
 - A. Clear the 30 foot area immediately surrounding structures from all flammable vegetation.
 - B. The remaining 70 feet is the fuel reduction zone created by vertical and horizontal spacing of combustible vegetation.
2. Clear flammable vegetation 10 feet from all roadways. (California Fire Code Appendix IIA Section 17)

Exception: This section shall not apply to single specimens of trees, ornamental shrubbery, or cultivated ground cover such as green grass, ivy succulents, or similar plants used as ground covers, provided that they do not form a means of readily transmitting fire from the native growth to any structure. **Note: When clearing vegetation, use care when operating equipment such as mowers. One small spark may cause a fire.**

COMPLIANCE DATE: September 15, 2015

DIRECT INQUIRES TO VEGETATION MANAGEMENT OFFICER: 805-686-5068

THIS PROPERTY SHALL REMAIN FREE OF FIRE HAZARDS ON A YEAR-ROUND BASIS.

"DEFENSIBLE SPACE IS EVERY HOME OWNERS RESPONSIBILITY" www.sbcfire.com