


Public Comment - Group 1

A-36

RECEIVED

2023 FEB 15 P 1:43

COURT CLERK BARBARA
THE
BOARD OF SUPERVISORS



I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



Brianda Negrete
Clerk of the Board of
Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign:

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino


Name:

Zip Code:

93440

SANTA BARBARA CA 931

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



2023 FEB 21
RECEIVED
COUNTY CLERK
BOARD OF SUPERVISORS
SANTA BARBARA

Brianda Negrete
Clerk of the Board of Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign:

Name:

Zip Code:



CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SANTA BARBARA CA 931

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



2023 FEB 21
RECEIVED
COUNTY CLERK
BOARD OF SUPERVISORS
SANTA BARBARA

Brianda Negrete
Clerk of the Board of Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign:

Name:

Steve McCranik

Zip Code:

93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SANTA BARBARA CA 931

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR-14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.

Sign:

Name:

GREG L SAUNDERS

Zip Code:

93440

BOARD OF SUPERVISORS

COUNTY OF SANTA BARBARA

2023 FEB 21

RECEIVED



Brianda Negrete
Clerk of the Board of Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SANTA BARBARA CA 931

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.

Sign:

Name:

CAROLE Bloom

Zip Code:

93440

RECEIVED

2023 FEB 17 P 1:45

Brianda Negrete
Clerk of the Board of Supervisors

105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101


CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino



SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED
2023 FEB 17 P 1:45


COURT CLERK OF SUPERVISORS
SANTA BARBARA
Brianda Negrete
Clerk of the Board of Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign: *Virginia Cortez*
Name: Virginia Cortez
Zip Code: 93454

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SANTA BARBARA CA 931

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED
2023 FEB 17 P 1:43

COURT CLERK OF SUPERVISORS
SANTA BARBARA
Brianda Negrete
Clerk of the Board of Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign: *Seth Steimer*
Name: Seth Steimer
Zip Code: 93440

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
COUNTY OF SANTA BARBARA
Clerk of the Board of
Supervisors
BOARD OF SUPERVISORS
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign:

Mike Murphy

Name:

Mike Murphy

Zip Code:

93440

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
COUNTY OF SANTA BARBARA
Clerk of the Board of
Supervisors
BOARD OF SUPERVISORS
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign:

Kathleen Wilson

Name:

Kathleen Wilson

Zip Code:

93440

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SANTA BARBARA CA 931

I ask that you vote NO on the discretionary item, Village Square Subdivision (FR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.

Sign:

Name:

Zip Code:

Kathleen Wilson

Kathleen Wilson

93400



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
Clerk of the Board of
Supervisors

105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SANTA BARBARA CA 931

I ask that you vote NO on the discretionary item, Village Square Subdivision (FR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.

Sign:


Name:

Zip Code:

Mike Terry

MIKE TERRY

93444



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
Clerk of the Board of
Supervisors

105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:43
Brianda Negrete
Clerk of the Board of
Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign: *Renee Bean*

Name: *Renee Bean*

Zip Code: *93440*

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:43
Brianda Negrete
Clerk of the Board of
Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign: *Omar Guerin*

Name: *Omar Guerin*

Zip Code: *13454*

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE

STOP THE "VILLAGE SQUARE" DEVELOPMENT

LOS ALAMOS

SAVE

STOP THE "VILLAGE SQUARE" DEVELOPMENT

LOS ALAMOS

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:44

Brianda Negrete
Clerk of the Board of
Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign:

Name:

Zip Code:


Ronald Earl
RONALD EARL

93440

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SANTA BARBARA CA 931

I ask that you vote NO on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:44

Brianda Negrete
Clerk of the Board of
Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign:

Name:

Zip Code:

Sonia Nelson

SONIA NELSON
11 Chamisa Drive

93440


CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SANTA BARBARA CA 931

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:44

Sign: *Steve Soderquist*

Name: *STEVE SODERQUIST*


Zip Code: *93440*

Brianda Negrete
Clerk of the Board of Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SANTA BARBARA CA 931

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:44

Sign: *Jeffrey Blum*

Name: *JEFFREY BLUM*

Zip Code: *93440*

Brianda Negrete
Clerk of the Board of Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
Clerk of the Board of
Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign: *Mary D. Caldera*
Name: *Mary D. Caldera*
Zip Code: *93140*

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR 14,608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
Clerk of the Board of
Supervisors
105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

Sign: *Christine Adams*
Name: *CHRISTINE ADAMS*
Zip Code: *93140*

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS

SAVE
STOP THE "VILLAGE SQUARE" DEVELOPMENT
LOS ALAMOS


SANTA BARBARA CA 931

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR-14-608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.

Sign: *Cynthia Bean*

Name: *Cynthia Bean*

Zip Code: *93440*



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
Clerk of the Board of Supervisors

105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino


SANTA BARBARA CA 931

I ask that you vote **NO** on the discretionary item, Village Square Subdivision (TR 14 608) Agreement for Construction and Dedication of Flood Control Improvements, and call for a supplemental/ subsequent EIR. All decisions are being made based on a 2005 EIR, which claimed no significant landslide risks. The Santa Barbara County Climate Change Vulnerability Assessment, November 2021, classed Los Alamos as having a high landslide susceptibility (Figure 30). The Board of Supervisors should not approve the Project. Pursuant to CEQA Guidelines 15162 subdivision (a), the Board of Supervisors must require a subsequent EIR for the Project so that newly available information of substantial importance may be reviewed.

Sign: *B.A.*

Name: *Boon R Adams*

Zip Code: *93440*



RECEIVED

2023 FEB 17 P 1:43

Brianda Negrete
Clerk of the Board of Supervisors

105 E. Anapamu St. Suite 407
Santa Barbara, CA 93101

CC: Supervisor Williams
Supervisor Nelson
Supervisor Hartmann
Supervisor Capps
Supervisor Lavagnino