

SANTA BARBARA COUNTY BOARD OF SUPERVISORS

Salentine Appeal

(12APL-00000-00006)

of the


Brown Grading and Horse Arena Project

(07LUP-00000-00830)

July 10, 2012

J. Ritterbeck, Planner

Vicinity Map





Permit Timeline

November 2007 – Complaint received & LUP opened.

September 23, 2011 – Land Use Permit 07LUP-00000-00830 approved.


September 30, 2011 – Appeal filed.

January 10, 2012 – EMP approved and issued by P&D.

March 7, 2012 – County PC denied Salentine Appeal and re-approved 07LUP-00000-00830 with modifications.

March 16, 2012 – Salentine appeals the Commission's decision to the Board.

Appealed Development



Appellant raises issue with:

- 1) Comprehensive Plan Hillside & Watershed Protection Policies
- 2) Goleta Community Plan Geologic Policies
- 3) County LUDC Hillside and Ridgeline Standards
- Grading minimized given need to remove fill from C.O.M.B. waterline.
- Project includes drainage/runoff controls and BMPs.
- Grading not subject to Hillside and Ridgeline standards.

Appellant raises issue with:

- 1) Goleta Community Plan E.S.H. & Biological Policies
- 2) Adequacy of CEQA Exemption

- Project includes protection & enhancement of off-site ESH, provides drainage control, a waste management plan & includes planting of ten new Oak trees.
- Project is exempt from CEQA.

Appellant raises issue that:

1) Existing violations were ignored

- 07ZEV-00000-00309 Grading and Agricultural structures.
- 12BDV-00000-00019 Exceeding scope of Emergency Permit.

Approval of 07LUP-00000-00830 would abate remaining violations.

Appellant raises issue with:

1) Planning Commission's de novo review & decision

The evidence provides a clear basis for the Commission's decision;

- staff reporttestimony
- presentationsdeliberation

Furthermore, the Board's decision is *de novo* as well.

Appellant raises issue that:

1) Planning Commission's procedure inconsistent with Robert's Rules of Order

The Commission's decision process was consistent with the Santa Barbara County Planning Commission Procedures Manual.

Staff Recommendation

P&D recommends the Board:

- Make the required findings for approval, as specified in Attachment A;
- Determine the project is exempt from CEQA, as specified in Attachment C;
- Deny the Appeal, Case No. 12APL-00000-00006; and
- Grant *de novo* approval of Case No. 07LUP-00000-00830, subject to the conditions, included as Attachment B.