

**SANTA BARBARA COUNTY
BOARD AGENDA LETTER**



Clerk of the Board of Supervisors
105 E. Anapamu Street, Suite 407
Santa Barbara, CA 93101
(805) 568-2240

Agenda Number:
Prepared on: 1/27/03
Department Name: Public Works
Department No.: 054/02/02
Agenda Date: 2/11/03
Placement: Administrative
Estimate Time:
Continued Item: NO
If Yes, date from:

TO: Board of Supervisors

FROM: Phillip M. Demery, Director
Public Works Department

STAFF CONTACT: Dace Morgan, Engineering Manager
568-3047

SUBJECT: 2001 Storm Damage Repairs on Kinevan Road at three locations; Third Supervisorial District; County Project No. 01STRM, R016

Recommendation(s):

That the Board of Supervisors:

- A. Approve the Project and Categorical Exemption pursuant to the County's California Environmental Quality Act (CEQA) guidelines for the construction of Storm Damage Repairs on Kinevan Road at three locations, Project No. 01STRM, R016;
- B. Authorize the Director of Public Works to advertise for construction bids for Storm Damage Repairs on Kinevan Road at three locations, Project No. 01STRM, R016.

Alignment with Board Strategic Plan:

The recommendations are primarily aligned with Goal No. 1. An Efficient Government Able to Anticipate and Respond Effectively to the needs of the Community.

Executive Summary and Discussion:

The storms of March 2001 resulted in high flows in San Jose Creek that eroded portions of the stream bank and damaged retaining walls and bridge wingwalls at 3 locations on Kinevan Road.

2001 Storm Damage Repairs on Kinevan Road at three locations; Third Supervisorial District; County Project No. 01STRM, R016

Agenda Date: 02-11-03

Page 2

Stream bank erosion occurred at Bridge 51C-214, Bridge 51C-215 and at MP 0.32 causing damage to a sandstone block wingwall at Bridge 51C-214, a concrete wingwall at Bridge 51C-215, and a retaining wall at MP 0.32.

The damaged portion of the sandstone wingwall at Bridge 51C-214 will be replaced with grouted rock riprap.

The project will repair the eroded creek banks at Bridge 51C-215 by placing new rock riprap and concrete slurry.

The undermined retaining wall at MP 0.32 will be supported by a concrete cut-off wall and the damaged sacked concrete slope protection will be replaced by a concrete retaining wall and rock gabions.



Pursuant to the County’s CEQA guidelines, the project has been determined to be exempt from further environmental review. Approval of this Notice of Exemption shall indicate the Board of Supervisors’ approval of this project and will commence the appeal period, pursuant to CEQA guidelines.

The “Notice to Contractors” will be published prior to the date set for the opening of bids.

Sealed proposals will be received at the Public Works front counter in the County Engineering Building, 123 E. Anapamu Street, Santa Barbara, California 93101, and at the North County Public Works office, 2400 Professional Parkway, Suite 150, Santa Maria, California, and will be opened and publicly read aloud at a date to be determined.

The project was approved as part of the FY 02/03 Capital Improvement Plan.

Mandates and Service Levels:

Approval by the Board of Supervisors will not change the programs or service levels.

Fiscal and Facilities Impacts:

This project will be funded through the California State Office of Emergency Services (45%) and Measure D (55%). Funds have been budgeted in Dept. 054, Fund 0015, Program 2900, Account 7510.

Special Instructions:

Please forward a copy of the Minute Order approving these recommendations to Sophia Rodriguez in the Public Works, Engineering Section. Please post a copy of the Notice of Exemption with the County Clerk of the Board after project approval.

Concurrence:

None