

NOTICE OF EXEMPTION

TO: Santa Barbara County Clerk of the Board of Supervisors

FROM: Kathy McNeal Pfeifer, Planner

The project or activity identified below is determined to be exempt from further environmental review requirements of the California Environmental Quality Act (CEQA) of 1970, as defined in the State and County Guidelines for the implementation of CEQA.

APN: 149-140-076 and 149-150-039

Case No.: 14AGP-00000-00020

Location: located near Kirschenmann Road in the Cuyama area, First Supervisorial District.

Project Title: Bolthouse Properties, LLC Agricultural Preserve Notice of Nonrenewal

Project Description: Nonrenewal of Agricultural Preserve Contract 76-AP-072

Name of Public Agency Approving Project: County of Santa Barbara

Name of Person or Agency Carrying Out Project: Brian Kunz, Cuyama Solar LLC

Exempt Status: (Check one)

- Ministerial
- Statutory
- No Possibility of Significant Effect [§15061(b,3)]
- Emergency Project
- Categorical Exemption
- Not A Project Exemption (§15378)

Cite specific CEQA Guideline Section: 15378 [Not A Project] This action does not constitute a project but instead consists of organizational or administrative activities that do not have the potential to result in either a direct or indirect physical change in the environment or a reasonably foreseeable indirect physical change in the environment pursuant to CEQA Guideline Section 15378(b)(5). The property must continue to comply with the Williamson Act and Uniform Rules for the duration of the contract.

Lead Agency Contact Person: Kathy McNeal Pfeifer

Phone #: (805) 568-2507

Department/Division Representative: _____

Date: _____

Acceptance Date: _____

Note: A copy of this form must be posted at P&D 6 days prior to a decision on the project. Upon project approval, this form must be filed with the County Clerk of the Board and posted by the Clerk of the Board for a period of 30 days to begin a 35 day statute of limitations on legal challenges.

Distribution: Hearing Support Staff
Project file (when P&D permit is required)