

Planning Commission Recommendation

- Approve the project and conditions
- Certify the EIR (05EIR-00000-00007)
- Adopt the required findings CEQA
- Submit the Staff Report as 65402 Report

Background

Bridge and Road Failure

1997 – replacement bridge

1998 - failure

1998 to 2005 – sporadic flooding by 10-year event





NOTE: Bridge & Road in 10-year flood limits

Background Project Development History

1998 - Applicant seeks solution for creek passage

March 2002: FEMA approves initial funding for engineering


June 2002: Applicant convenes Project Development Team (PW, FEMA, OES, Ranch)

January 2003: Applicant sends project proposal to FEMA and OES

June 2003: FEMA approves funding

February 2005: Applicant submits application for CUP/DVP





Jurisdiction

Primary Permit Authority

Planning & Development

California Coastal Commission

Other Regulatory Agencies

U.S. Army Corps of Engineers

U.S. Fish & Wildlife Service


Department of Fish & Game

United States EPA

National Marine Fisheries

Regional Water Quality

Control Board



Appellant Issues

- Inadequate Alternatives Analysis
- Inconsistency with Local Coastal Plan
- Inconsistency with State Park General Plan (not within County purview)

Appellant Issues Inadequate Alternatives Analysis

EIR did not adequately analyze Causeway, Alternative Bridge Site

EIR based infeasibility on cost

Infeasibility based on cost not supported; inadequate justification

Response

EIR deemed Causeway as Environmentally Superior Alternative

EIR found significant impacts of Alternative Bridge Site

Applicant provided info that FEMA can't & won't provide extra monies

CEQA allows "economic viability" in analysis of feasibility

Appellant Issues Inconsistency with Coastal Plan

Raised roadbed – filling and diking in wetland Permanent alteration of hydrology & wetland function

Loss of wetland/floodplain not mitigated Inaccurate calculation of habitat loss & mitigation

Response

Hydrology and function of creek maintained

Culverts would facilitate passage of flows/maintenance of floodplain/wetland

Mitigation/restoration area based on EIR/consultant surveys

Staff Recommendation

(Board Letter pages 1-2)

- Adopt the required findings for the project, including CEQA findings
- 2. Certify the EIR (05EIR-00000-00007) and adopt the mitigation monitoring program
- 3. Deny the appeal, upholding the Planning Commission's approval of Development Plan 05DVP-00000-00002 and Conditional Use Permit 05CUP-00000-00005
- 4. Grant *de novo* approval of the project subject to the conditions included in the Planning Commission's action letter