## RESOLUTION OF THE BOARD OF SUPERVISORS OF THE COUNTY OF SANTA BARBARA, STATE OF CALIFORNIA

A Resolution Authorizing Entering Into an Agreement with the State of California and Designating A Representative to Sign the Agreement and any Amendments Thereto for Implementation of the Aboveground Petroleum Storage Tank Act	<pre>} Resolution No. } } </pre>
WHEREAS:	
California Health and Safety Code,	nall use these grant funds made available pursuant to section 25270.11 and per the grant agreement, and Environmental Protection Agency to implement the etroleum Storage Tank Act.
THEREFORE BE IT RESOLVED THAT:	
Chief or designee, to execute and amend the	risors has authorized the Santa Barbara County Fire e grant agreements with the California Environmental re accurate and to certify that Santa Barbara County d regulations.
CER	RTIFICATION
PASSED, APPROVED AND ADOPTED b Barbara, State of California, this <u>27<sup>th</sup></u> day of	by the Board of Supervisors of the County of Santa (S. May, 2008, by the following vote:
AYES:	
NOES:	
ABSTAIN:	
ABSENT:	
	COUNTY OF SANTA BARBARA
	By Salud Carbajal, Chair of the Board of Supervisors

Attest: Michael F. Brown CEO		
By Deputy		
Approved as to form: Daniel J. Wallace	Approved as to Accounting Robert W. Geis, C.P.A.	
County Counsel	Auditor-Controller	
By Deputy County Counsel	Ву	

## **NOTE:**

This is only a sample resolution. The CUPA is strongly encouraged to follow this format, but each CUPA may use their County's or City's own format, if desired. However, the language in **bold** must be included in the resolution.

- Include agreement and amendment in the title;
- The name of the CUPA;
- The title of the authorized CUPA representative to sign for the agreement and any amendment(s); and
- The grantor (California Environmental Protection Agency).

If not using the sample format provided, please coordinate with John Paine of Cal/EPA at (916) 327-5092 or <a href="mailto:jpaine@calepa.ca.gov">jpaine@calepa.ca.gov</a> to ensure that the resolution meets the minimum language required.