## NOTICE OF EXEMPTION

TO:	Santa Barbara County Clerk of the B	oard of Supervisors
FROM:	Zoë Carlson, Planner Planning and Development Departme	ent
review require		ned to be exempt from further environmental al Quality Act (CEQA) of 1970, as defined in tion of CEQA.
APN: N/A	Case No.: 22GPA-00	0000-00004
<b>Location</b> : Uni Casmalia, and	-	opa, Cuyama, New Cuyama, Sisquoc, Garey,
Project Title Amendment	: Disadvantaged Unincorporated C	ommunities Update – Land Use Element
Project Appli	cant: County of Santa Barbara	
periodically re of the Santa Ba analysis of w deficiencies for mechanisms for	view and update the Disadvantaged Uarbara County Comprehensive Plan Later, wastewater, stormwater draina or each identified DUC. It must also the improvement and/or extension identified seven DUCs: Ventucopa.	0(c) requires the County of Santa Barbara to inincorporated Communities (DUC) appendix and Use Element. The update must include an age, and structural fire protection needs or so include an analysis of potential funding of services and facilities to identified DUCs. Cuyama, New Cuyama, Sisquoc, Garey,
Name of Publ	ic Agency Approving Project:	County of Santa Barbara
Name of Pers	on or Entity Carrying Out Project:	Planning and Development Department Long Range Planning Division
Statu Cate Eme Decl	is: isterial istory Exemption gorical Exemption rgency Project lared Emergency Possibility of Significant Effect, CEQ	A Guidelines Section 15061(b)(3)

Disadvantaged Unincorporated Communities Update, 22GPA-00000-00004 December 13, 2022 Attachment B

Cite specific CEQA and/or CEQA Guidelines Section: Section 15061(b)(3) (Review for Exemption) – "Where it can be seen with certainty that there is no possibility that the activity in question may have a significant effect on the environment, the activity is not subject to CEQA."

Reasons to support exemption findings: The DUC update to the Land Use Element is a research and analysis-based update. The update is limited to identifying communities that meet the definition of DUC and documenting deficiencies related to water, wastewater, stormwater drainage, and structural fire protection within each DUC. The update does not include any new policies, regulations, or projects. Any projects to address identified deficiencies or that otherwise occur as a result of this update will be subject to compliance with CEQA, if applicable. Therefore, it can be seen with certainty that there is no possibility that this project may have a significant effect on the environment, and it is not subject to CEQA according to CEQA Guidelines Section 15061(b)(3).

Lead Agency Contact Person: Zoë Carlson	Phone #:	805-568-3532
Department/Division Representative:	_	
Date:		
Acceptance Date:		
<b>Distribution</b> : Hearing Support Staff		
Date Filed by County Clerk:		

G:\GROUP\COMP\COmp Plan Elements\Land Use Element\DUCs Update 2022\Hearings\PC\Draft CEQA Exemption Notice.docx