NOTICE OF EXEMPTION

TO: Santa Barbara County Clerk of the Board of Supervisors

FROM: Florence Trotter-Cadena, Planner

The project or activity identified below is determined to be exempt from further environmental review requirements of the California Environmental Quality Act (CEQA) of 1970, as defined in the State and County Guidelines for the implementation of CEQA.

APNs: 079-040-005, 079-060-065 (portion of), 079-060-066, 079-080-034, 081-240-018, 079-090-030 (portion of)

Case No.: <u>12AGP-00000-00028</u>

Location: located at 100-695 North Dos Pueblos Canyon Road, in the Gaviota Coast area, Third Supervisorial District.

Project Title: Dos Pueblos Ranch Agricultural Preserve

Project Applicant: David Fainer, Attorney

Project Description: <u>Replacement Agricultural Preserve Contract</u>

Name of Public Agency Approving Project: County of Santa Barbara

Name of Person or Agency Carrying Out Project: Dos Pueblos Ranch

Exempt Status: (Check one)

- ____ Statutory
- ____ No Possibility of Significant Effect [§15061(b,3)]
- ____ Emergency Project
- ___Categorical Exemption
- XX Not A Project Exemption (§15378)

Cite specific CEQA Guideline Section: <u>15378 [Not A Project]</u> This action does not constitute a project but instead consists of organizational or administrative activities that do not have the potential to result in either a direct or indirect physical change in the environment or a reasonably foreseeable indirect physical change in the environment pursuant to CEQA Guideline Section 15378(b)(5).

Lead Agency Contact Person: <u>Florence Trotter-Cadena</u> Phone #: <u>934-6253</u>

 Department/Division Representative:

 Acceptance Date:

Note: A copy of this form must be posted at P&D 6 days prior to a decision on the project. Upon project approval, this form must be filed with the County Clerk of the Board and posted by the Clerk of the Board for a period of 30 days to begin a 35 day statute of limitations on legal challenges.

Distribution: Hearing Support Staff Project file (when P&D permit is required)