



BOARD OF SUPERVISORS
AGENDA LETTER

Agenda Number:

Clerk of the Board of Supervisors
105 E. Anapamu Street, Suite 407
Santa Barbara, CA 93101
(805) 568-2240

Department Name: Public Works
Department No.: 054
For Agenda Of: July 6, 2010
Placement: Administrative
Estimated Tme:
Continued Item: No
If Yes, date from:
Vote Required: Majority

TO: Board of Supervisors
FROM: Department Director Scott D. McGolpin, Public Works Director, 568-3010
Contact Info: Dacé Morgan, Deputy Director-Transportation, 568-3064
SUBJECT: Construction of Storm Damage Repair on Greenwell Avenue at MP 0.25 North of
Via Real; First Supervisorial District; County Project No. 862259

County Counsel Concurrence

As to form: N/A

Auditor-Controller Concurrence

As to form: N/A

Other Concurrence: N/A

As to form: N/A

Recommended Actions:

That the Board of Supervisors:

Accept the Notice of Completion for the work performed by the Contractor, Berry General Engineering (not a local vendor), PO Box 1457, Ventura, CA 93002, (Clerk to Record)

Summary Text:

The project was located on Greenwell Avenue at Mile Post 0.25, north of Via Real in the town of Summerland and involved the stabilization of a landslide that occurred during the 2005 storm events. The project consisted of constructing a 160-foot long, 4-foot tall retaining wall supported by deeply embedded steel soldier piles, installing erosion control jute mesh, and applying seeding to the newly cut slope. When the slope stabilization was complete, the shoulders were cleared, and an earthen swale was built to improve drainage. Additionally included in the project was the resurfacing of 250-feet of roadway with new asphalt concrete, and installing 35 linear-feet of guardrails for safety.

The Director of Public Works accepted this project as complete on April 16, 2010. The project was completed on time and under budget.

July 6, 2010

Page 2 of 3

Background:

During the January 2005 storm events, the hillside above Greenwell Avenue, Mile Post 0.25, collapsed onto the roadway, heaving up the northbound travel lane. The slide was over 100 feet in length, extended 60 feet up the slope, and raised the roadway approximately 2 feet.

On May 12, 2009, the Board of Supervisors approved and authorized the Director of Public Works to advertise for the Construction of Storm Damage Repairs on Greenwell Avenue at MP 0.25.

This project was approved by the Board as part of the County of Santa Barbara, 2008 – 2013 Five Year Capital Improvement Program, as shown on Page B-135.

On December 1, 2009, the Board awarded the construction contract for this project to Berry General Engineering.



Fiscal and Facilities Impacts:

Budgeted: Yes

Fiscal Analysis:

<u>Funding Sources</u>	<u>Current FY Cost:</u>	<u>Annualized On-going Cost:</u>	<u>Total One-Time Project Cost</u>
General Fund			
State:			
Federal:			
Fees			
Other:			
Total	\$ -	\$ -	\$ -

Narrative:

There is no fiscal impact with this action.

Staffing Impacts:

Legal Positions:

FTEs:

Special Instructions:

Notice of Completion

1. Original executed document
2. Copy of executed document
3. Copy of executed document

Clerk of the Board
Public Works, Transportation-Construction
Attn: Cecelia Barnes, ext. 5697
Public Works, Transportation-Admin
Attn: Gena Valentine Felix, ext. 3064

Attachments:

Notice of Completion

Authored by:

Eric Pearson, Construction Section Manager 681-5686
Cliff Replogle, Resident Engineer 739-8776