



one COUNTY | one FUTURE

Legislation Details (With Text)

File #: 18-00608 **Version:** 1

Type: Agenda Item **Status:** Passed

File created: **In control:** BOARD OF SUPERVISORS

On agenda: 8/14/2018 **Final action:** 8/14/2018

Title: Consider recommendations regarding a Professional Services Agreement with Stantec Consulting Services, Inc. for the February 2017 Storm Event (4308-DR) at Goleta Beach; Second District, as follows:

- a) Approve and authorize the Chair to execute the professional services agreement with Stantec Consulting Services, Inc. (Contractor) in the amount not to exceed \$22,500.00 to allow the Contractor to provide additional surveying and updated as-built plans for the February 2017 Storm (4308-DR) emergency revetment and pier repairs at Goleta Beach; and
- b) Determine that the recommended actions are statutorily exempt from the California Environmental Quality Act (CEQA) pursuant to California Public Resources Code Section 21080.5 and the Guidelines for the Implementation of CEQA, 14 CCR Section 15002(l) and 15251(c) (certified regulatory plan in-lieu-of EIR).

Sponsors: COMMUNITY SERVICES DEPARTMENT

Indexes:

Code sections:

Attachments: 1. Board Letter, 2. Attachment A

Date	Ver.	Action By	Action	Result
8/14/2018	1	BOARD OF SUPERVISORS	Acted on as follows:	Pass

Consider recommendations regarding a Professional Services Agreement with Stantec Consulting Services, Inc. for the February 2017 Storm Event (4308-DR) at Goleta Beach; Second District, as follows:

- a) Approve and authorize the Chair to execute the professional services agreement with Stantec Consulting Services, Inc. (Contractor) in the amount not to exceed \$22,500.00 to allow the Contractor to provide additional surveying and updated as-built plans for the February 2017 Storm (4308-DR) emergency revetment and pier repairs at Goleta Beach; and
- b) Determine that the recommended actions are statutorily exempt from the California Environmental Quality Act (CEQA) pursuant to California Public Resources Code Section 21080.5 and the Guidelines for the Implementation of CEQA, 14 CCR Section 15002(l) and 15251(c) (certified regulatory plan in-lieu-of EIR).