



## Legislation Details (With Text)

**File #:** 19-00041 **Version:** 2

**Type:** Agenda Item **Status:** Passed

**File created:** **In control:** BOARD OF SUPERVISORS

**On agenda:** 1/29/2019 **Final action:** 1/29/2019

**Title:** HEARING - Consider recommendations regarding the SEPV Cuyama Utility-Scale Solar Photovoltaic and Battery Energy Storage Facility project (Case Nos. 17GPA-00000-00006 and 17CUP-00000-00044), Assessor's Parcel Number 149-150-033, located south and southeast of the town of Cuyama and adjacent to the Cuyama Solar Array project site, First District, as follows: (EST. TIME: 20 MIN.)

a) Make the required findings for approval of the Comprehensive Plan Amendment (17GPA-00000-00006) and Conditional Use Permit (17CUP-0000-00044) including California Environmental Quality Act (CEQA) findings;

b) Determine that as reflected in the CEQA findings, no subsequent Environmental Impact Report shall be prepared for this project;

c) Approve and adopt a Resolution amending the Comprehensive Plan to add the Utility-Scale Solar Photovoltaic Facility Overlay to the 20.44-acre Project site; and

d) Approve Conditional Use Permit (17CUP-00000-00044) subject to the conditions of approval.

COUNTY EXECUTIVE OFFICER'S RECOMMENDATION: POLICY

**Sponsors:** PLANNING AND DEVELOPMENT DEPARTMENT

**Indexes:**

**Code sections:**

**Attachments:** 1. Board Letter, 2. Att 1 - 11-07-18actltr, 3. Att 2 - 2018.10.30 SEPV Staff Report w attachments, 4. Att 3 - Board Resolution, 5. Adopted Resolution, 6. Presentation

Date	Ver.	Action By	Action	Result
1/29/2019	2	BOARD OF SUPERVISORS	Acted on as follows:	Pass
1/8/2019	1	BOARD OF SUPERVISORS	Set for a hearing, as follows:	Pass

HEARING - Consider recommendations regarding the SEPV Cuyama Utility-Scale Solar Photovoltaic and Battery Energy Storage Facility project (Case Nos. 17GPA-00000-00006 and 17CUP-00000-00044), Assessor's Parcel Number 149-150-033, located south and southeast of the town of Cuyama and adjacent to the Cuyama Solar Array project site, First District, as follows: (EST. TIME: 20 MIN.)

a) Make the required findings for approval of the Comprehensive Plan Amendment (17GPA-00000-00006) and Conditional Use Permit (17CUP-0000-00044) including California Environmental Quality Act (CEQA) findings;

b) Determine that as reflected in the CEQA findings, no subsequent Environmental Impact Report shall be prepared for this project;

c) Approve and adopt a Resolution amending the Comprehensive Plan to add the Utility-Scale Solar Photovoltaic Facility Overlay to the 20.44-acre Project site; and

d) Approve Conditional Use Permit (17CUP-00000-00044) subject to the conditions of approval.

COUNTY EXECUTIVE OFFICER'S RECOMMENDATION: POLICY