

- c) Historically, the area generally bounded as follows was subject to extreme wind and previously designated as a Special Wind Region: on the east by a north-south line running through El Capitan Point, on the north by the ridge of the Coast Range, on the west by the coast from the southerly boundary of Vandenberg Air Force Base south to Point Conception, and on the south by the coast line from Point Conception to El Capitan Point. The basic wind speed in this region for the purpose of establishing wind loads must be considered to be 95 miles per hour (3 second gust);

- d) Seismic shaking within the Santa Ynez Region of Santa Barbara County would most likely be generated by movement along Los Alamos, Casmalia or Baseline faults. An event with a 10 percent probability of occurrence in 50 years is estimated to generate a 6.63 maximum magnitude earthquake with a peak ground acceleration of 0.41 g. The Orcutt region of Santa Barbara County would be most likely affected by seismic activity along the Casmalia fault. An event with a 10 percent probability of occurrence in 50 years is estimated to generate a 7.81 maximum magnitude earthquake with a peak ground acceleration of 0.30g. The area outside of, but in close proximity to, the city of Santa Barbara would most likely be affected by movement along the Mission Ridge, Red Mountain or Mesa-Rincon Creek faults. An event with a 10 percent probability of occurrence on 50 years is estimated to generate a 7.22 maximum magnitude earthquake with a peak ground acceleration of 0.53g. As such, certain conventional framing detailing permitted in the California Residential Code are deemed inappropriate for strong earthquake shaking that sites in Santa Barbara County could experience and are not acceptable without further engineering analysis;

WHEREAS, code amendments listed in Appendix A are necessary and consistent with the intent of the Building Standard Codes based on local climatic, geological, or topographical conditions; and

WHEREAS, a modification from the Building Standards Code is reasonably necessary due to local climatic, geological, or topographical conditions;

NOW, THEREFORE, IT IS HERE BY RESOLVED, by the County of Santa Barbara Board of Supervisors:

1. The above recitations are true and correct.
2. The Board of Supervisors makes the findings, attached in Attachment A, that changes contained in the County of Santa Barbara Building Code, 2019 are required in order to provide specific and greater protections to the public health, safety and welfare than are afforded by the California Building Standards Code. These changes are necessary due to local climatic, geological or topographical conditions.


PASSED, APPROVED, AND ADOPTED this 19th day of November _____, 2019 by the following vote:

AYES: Supervisors Williams, Hart, Hartmann, Adam and Lavagnino

NOES: NONE

ABSENT: NONE


ABSECTIONS: NONE



 STEVE LAVAGNINO,
 CHAIR, BOARD OF SUPERVISORS
 COUNTY OF SANTA BARBARA

ATTEST:

MONA MIYASATO
 COUNTY EXECUTIVE OFFICER
 CLERK OF THE BOARD

By: 
 Deputy Clerk

APPROVED AS TO FORM

MICHAEL GHIZZONI
 COUNTY COUNSEL

By: 
 Deputy County Counsel

Exhibit A

Non-Administrative Code Amendment Justification Matrix.

<i>ARTICLE II, PART 1—PRIMARY BUILDING CODE</i>		
Section Number	Amendment Description	Justification
Section 10-2.1.2 B	Amending section 701A.3 of California Building Code (CBC) to apply fire resistant construction of Chapter 7 to additions and alterations of buildings in Fire Hazard Severity Zones.	Footnotes (a) & (b)
Section 10-2.1.2 C	Amending CBC section 702A by modifying the definition of Local Agency Very High Fire Hazard Area.	Footnotes (a) & (b)
Section 10-2.1.2 D	Amending section 702A of CBC by delineating and adopting a High Fire Hazard Map also referred to Wildland-Urban Interface Area.	Footnotes (a) & (b)
Section 10-2.1.2 E and F	Amending sections 1505.1 and 1505.1.4 of California Building Code by disallowing use of wood roofing in certain Fire Hazard Zones with certain exceptions allowing fire-retardant treated Class A and B wood in repairs of less than 25% of roof area.	Footnotes (a) & (b)
Section 10-2.1.2 G	Amending section 1609.1.1 of CBC to establish Special Wind Region requiring design wind speed of 95 mile per hour on certain coastal areas of the County.	Footnote (c)
Section 10-2.1.2 H	Amending section 1705.3 CBC by modifying exception (1) requiring special inspection for isolated footing when the concrete strength is higher than 2,500 psi.	Footnotes (d)
Section 10-2.1.2 I	Amending section 1905.1.8 CBC by removing the exception (a) that would have allowed unreinforced concrete wall and foundation in basement.	Footnotes (d)
<i>ARTICLE II, PART 2—PRIMARY RESIDENTIAL BUILDING CODE</i>		
Section 10-2.2.2 B	Amending section R301.2.1 of 2013 California Residential Building Code to establish Special Wind	Footnote (c)

	Region requiring design wind speed of 95 mile per hour on certain coastal areas of the County.	
Section 10-2.2.2.C	Amending section R310.1, by deleting subsection 2.1 from exception 2	Footnote (a)
Section 10-2.2.2 D	Section R313.2 of CRC is amended to require Automatic Fire System in manufactured housing not in a mobile home park.	Footnotes (a) & (b)
Section 10-2.2.2 E	Section R327.1.3 of CRC is amended by including additions, remodels, and repairs to be constructed to the requirements of Fire Hazard Zones.	Footnotes (a) & (b)
Section 10-2.2.2 F	Section R337.1.3 of CRC is amended by including additions, remodels, and repairs to be constructed to the requirements of Fire Hazard Zones.	Footnotes (a) & (b)
Section 10-2.2.2 G	Section R337.2 of California Residential Code is modified to define High Fire Hazard Area.	Footnote (a)
Section 10-2.2.2 H	Amending section R337.2 of California Residential Code by modifying the definition of Local Agency Very High Fire Hazard Area.	Footnote (a)
Section 10-2.2.2 I	Section R403.1.3 of CRC is revised to require #4 rebar at top and bottom of footings	Footnote (d)
Section 10-2.2.2 J	Table R602.10.3 (3) of CRC is modified to disallow gypsum board and limit Portland Cement plaster material to one story as seismic bracing in high fire hazard zone.	Footnote (d)
Section 10-2.2.2 K	R602.10.4 of CRC California Residential Code is modified to clarify and to repeat restriction of gypsum board and Portland Cement plaster material as seismic bracing material in high fire hazard zone.	Footnote (d)
Section 10-2.2.2 L & M	Figures R602.10.8.2 (1) and R602.10.8.2 (3) of California Residential Code are modified to provide proper load path to shear walls below roof framings.	Footnote (d)
Section 10-2.2.2 N	Amending sections R902.1 of CRC by disallowing use of Wood roofing in certain Fire Hazard Zones except for use of fire-retardant treated Class A and B wood in repairs of less than 25% of roof area.	Footnotes (a) & (b)

- a) That Santa Barbara County is prone to extreme weather conditions, from hot, dry winds from the east (Santa Ana and sundowner winds), to strong westerly (coastal) winds, which greatly enhance the ability for fire to spread as reflected in devastating recent fires. In addition, the topographical layout and features of the county make the area subject to isolation should a flood or earthquake occur, which would prevent or severely limit and delay the north and south entities from giving or receiving mutual aid and emergency assistance.
- b) That Santa Barbara County Very High Fire Hazard Severity Zone and High Hazard Areas are more accurately reflected on the “Santa Barbara County Very High Fire Hazard Severity Zones Map in Local Responsibility Area,” on file in the office of the State Fire Marshal and a map entitled “High Fire Hazard Area Map” on file in the County of Santa Barbara Building & Safety Division of the Planning & Development Department. That High Fire Hazard Area Map is to be considered a Wildland-Urban Interface Area. These maps are found to be more consistent with the recent Santa Barbara Fires than those issued by the State Fire Marshal.
- c) Historically, the area generally bounded as follows was subject to extreme wind and previously designated as a Special Wind Region: on the east by a north-south line running through El Capitan Point, on the north by the ridge of the Coast Range, on the west by the coast from the southerly boundary of Vandenberg Air Force Base south to Point Conception, and on the south by the coast line from Point Conception to El Capitan Point. The basic wind speed in this region for the purpose of establishing wind loads must be considered to be 95 miles per hour (3 second gust).
- d) Seismic shaking within the Santa Ynez Region of Santa Barbara County would most likely be generated by movement along Los Alamos, Casmalia or Baseline faults. An event with a 10 percent probability of occurrence in 50 years is estimated to generate a 6.63 maximum magnitude earthquake with a peak ground acceleration of 0.41 g. The Orcutt region of Santa Barbara County would be most likely affected by seismic activity along the Casmalia fault. An event with a 10 percent probability of occurrence in 50 years is estimated to generate a 7.81 maximum magnitude earthquake with a peak ground acceleration of 0.30g. The area outside of, but in close proximity to, the city of Santa Barbara would most likely be affected by movement along the Mission Ridge, Red Mountain or Mesa-Rincon Creek faults. An event with a 10 percent probability of occurrence on 50 years is estimated to generate a 7.22 maximum magnitude earthquake with a peak ground acceleration of 0.53g. As such, certain conventional framing detailing permitted in the California Residential Code are deemed inappropriate for strong earthquake shaking that sites in Santa Barbara County could experience and are not acceptable without further engineering analysis.